Appln. No. 09/936,289 Amd. dated March 31, 2004 Reply to Office Action of December 31, 2003

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (Canceled)

(Currently amended) Shadow mask material comprising consisting of carbon equal to or less than 0.0008 wt%, silicon equal to or less than 0.03 wt%, manganese from 0.1 to 0.5 wt%, phosphorus equal to or less than 0.02 wt% sulfur equal to or less than 0.02 wt%, aluminum from 0.01 to 0.07 wt%, nitrogen equal to or less than 0.0030 wt% and boron satisfying an inequality of boron from 0.0013 to 0.0053 wt% 5 ppm \leq B - 11/14 \times N \leq 30 ppm and the residue including iron and unavoidable impurities, Wherein a hot rolling finish furnish is higher than point Ar3, and said steel sheet is hot rolled at a coiling temperature of from 540 to 680°C and cold rolled after pickling, and then said steel sheet is annealed in a continuous annealing step, wherein the annealing is conducted at a sheet temperature equal to or greater than 750°C, a soaking period is from 60 to 120 seconds, hydrogen is present in the annealing gas in an amount of from 0 to 75% and the residue is nitrogen and a dew point is from -30°C to 70°C,

Appln. No. 09/936,289 Amd. dated March 31, 2004 Reply to Office Action of December 31, 2003

so as to control the amount of carbon to not more than 0.0008 wt%.

Claims 3-6 (Canceled)

Claim 7. (Previously Presented) Shadow mask made of the material as claimed in claim 2.

Claim 8 (Canceled)

- 9. (Previously Presented) A picture tube with said shadow mask as claimed in claim 7.
- 10. (Currently Amended) Shadow mask material consisting essentially of iron and unavoidable impurities, carbon equal to or less than 0.0008 wt%, silicon equal to or less than 0.03 wt%, manganese from 0.1 to 0.5 wt%, phosphorus equal to or less than 0.02 wt%, sulfur equal to or less than 0.02 wt%, aluminum from 0.01 to 0.07 wt%, nitrogen equal to or less than 0.020 wt%, aluminum from 0.01 to 0.07 wt%, nitrogen equal to or less than 0.0030 wt%, boron from 0.0013 to 0.0053 wt%, and boron satisfying the inequality of 5 ppm \leq B 11/14 \times N \leq 30 ppm.
- 11. (Previously Presented) A shadow mask made of the material as claimed in claim 10.

Appln. No. 09/936,289 Amd. dated March 31, 2004 Reply to Office Action of December 31, 2003

12 (Previously Presented): A picture tube with said shadow mask as claimed in claim 11.

- 4 -